

SAGOLA

an Elcometer company



**Professional
equipment
Hardware and
Industrial supply**



www.sagola.com

**MADE IN
SPAIN**

Aerographic spray gun

3300 GTO

New 3300 GTO spraygun. Versatility

SAGOLA renews and improves the mid-high range of spray guns for finishes. Forged and anodized aluminum body. This is a top level product with a magnificent price-quality ratio.
EPA Aircap: Minimum air consumption with high quality application.
HVLP Aircap: Maximum paint savings and minimum mist.

VERSION	BOX CODE	CASE CODE
1.40 [HVLP]	10141555	10141575
1.60 [HVLP]	10141556	10141576
1.80 [HVLP]	10141557	10141577
1.40 [EPA]	10141562	10141578
1.60 [EPA]	10141563	10141579
1.80 [EPA]	10141564	10141580
2.20 [64S]	10141572	10141585
2.80 [62S]	10141574	10141586



RC2

Air flow regulator

Small and light. High quality gauge, green scale for high transfer guns.

CODE 40000335

Classic Pro XD

Low air consumption Maximum robustness and reliability

New chromed body. Maximum ergonomics. Single-axis design, less parts. Regulators in aluminum. Prepared to work easily even with gloves.



Conventional and HVLP system. High speed. Speed and ease of application.

VERSION	CODE	VERSION	CODE
1.40 [21]	10141607	1.40 [HVLP]	10141608
1.60 [21]	10141606	1.60 [HVLP]	10141609
1.80 [21]	10141602	1.80 [HVLP]	10141610
2.00 [25]	10141604		
2.50 [36]	10141603		
2.80 [28]	10141605		

Classic Lux

Light and versatile

Low air consumption. Conventional painting system. Air, paint and air flow regulators. Deposit with anti-drip system. Enamels, clearcoats, primers, basecoats.



GRAVITY
VERSION
Classic
Lux

VERSION	CODE
1.40 [40]	20141406
1.60 [40]	20141401
1.80 [40]	20141402
2.50 [42]	20141403

Junior G

Chromed body New aircaps

High transfer gravity spraygun. Very low air consumption: 150 L/min. Robust, light and with new ergonomic design. Proper to work with compressors from 1.5 HP. Product and fan regulators Supplied in a box or blister.



VERSION	CODE
1.40 [box]	20141904
1.60 [box]	20141903
1.80 [box]	20141902
1.80 [blister]	20141905

Classic Lux

Robust and economical

Suction aerographic spray gun, light, versatile suction spray gun with low air consumption. Conventional painting system. Fan, paint and air flow regulators. High capacity deposit (1L). Fastening with flange, anti-drip lid and closure gasket.

VERSION	CODE
1.60 [38]	20121101
1.80 [39]	20121102

SUCTION
VERSION
Classic
Lux



Low pressure - Air treatment

472 PRO

CODE 10130102

Low pressure
Maximum ergonomics
Extremely low air consumption
Minimum mist

Pressurised spray gun with internal mix air cap. Extremely low air consumption -only 65L/min.- working with very low pressure (1-2 bar).

It is designed for multi-use, always achieving top quality finishes even with medium viscosity products.



VERSION	CODE
240V/50Hz	10610102
110V/60Hz	10610106



777 compressor & 472 Pro Kit

Thanks to its lightness and small size this equipment will let you work anywhere without the need of carrying heavy compressors.

479 PLUS

Regulator Purifying Filter

High air flow. High quality pressure gauge. Highly reliable regulation system. Adjustable to any hose size. Simple and smooth regulation.



VERSION	CODE
1/2"	10730401
3/8"	10730402
1/4"	10730403

970 PLUS

Lubricator Purifying Filter

Accurate control of the oil content thanks to its manual drop-by-drop regulator. No pressure loss due to the "in-line" design. Maximum reliability and productivity in the minimum space.



VERSION	CODE
1/2"	10750301
3/8"	10750302
1/4"	10750303

FR range Regulator purifying filter

Painting or blasting lines in the metal, wood, plastic, ceramic industries,...


VERSION	CODE
1/2"	40000181
3/8"	40000180
1/4"	40000179



FRL range Lubricator purifying filter

Extends the life and optimises the performance of pneumatic machinery.

VERSION	CODE
1/2"	40000224
3/8"	40000223
1/4"	40000222



Classic P1


Metallic petroleum spray cleaner. 1L fast closing deposit. Metallic aircap. Adjustable flow.

CODE 20340701

Classic S1

Aluminium blowgun. High air flow. Metallic aircap.


CODE 20340601



416 Pneumatic gun for antigravel

Pneumatic gun for antigravel cartridges and underbody protection. Operation by suction. Gun for the application of standardized acoustic insulation 1 L. cartridges. To be screwed directly to the cartridge. Adjustable metallic aircap to control the quantity and texture of the product.

CODE 20330401



3900 Plus Pneumatic sealers

Pneumatic sealers. Light and efficient. Perfect solution for everyday needs in a workshop. These pneumatic guns are very useful when it comes to structure assembling, repairs and windshield set-ups, amongst others. Includes a trigger with discharge valve, which guarantees a great precision and control.

VERSION	CODE
3900 Plus	10330201
3900 Plus M4	10330401
3900 Plus M6	10330402



Pressure pots

CLASSIC 30 INOX

Full equipment

30 L. pressure pot with handlebar, foldable for transport. Product lower outlet. Speed of application and high transfer level (more than 80%) spray gun. Robustness. Ideal for marking paints, road markings, high thickness, waterproofing, intumescent, soil protection, generally dense products.

Includes 4100 XTREME PD 6.00 [PD1] and 10 m. air/product hose.

CODE 20530705



Pneumatic pump

DM 1/300

Full equipment

30 L. Double membrane pump. Medium production. For finish and primers. High precision product regulator. Anti-pulsation system and double paint filter. Laquers, clearcoats, basecoats, enamels. Medium viscosity products.

Includes X 4100 series pressure 1.20 [XT01B] and 5 m. air/product hose.

CODE 30920599



610

Full equipment

10 L. capacity pressure pot. Steel body and aluminium lid. Top product outlet. Valid for solvent-based paints. Low and medium viscosity paints. Double regulation.

Includes 3300 GTO pressure 1.40 [EPA] and 5 m. air/product hose.

CODE 10540798



PREMIUM 429 N

Special for decoration Stone paints, gotele and viscous products

Product and air flow regulators. High quality 5L. paint deposit with handle and removable lid for cleaning. Includes 4.5, 6 and 8 mm. aircaps. Non-stick coating in the body of the spray gun for ease of cleaning.

CODE 10140201



612

2.5 L deposit capacity

Valid for waterborne and solvent-based paints. Easy to use and minimum maintenance. Top outlet and pressure regulator.

Includes X 4100 series pressure 1.20 [XT01B] and 1.8 m. air/product hose.

CODE 10540899



High performance sanders Extremely high finish quality

"L" range sanders have been designed for workshops where high performance and top quality finishes are demanded. Designed for a more comfortable operation, "L" range sanders are the reference in low vibration and high performance tools.



Quick couplings



VERSION	CODE
BSPT 1/4"	11010524
BSPT 3/8"	11010525
BSPT 1/2"	11010526



VERSION	CODE
BSPP 1/4"	11010424
BSPP 3/8"	11010425
BSPP 1/2"	11010426



VERSION	CODE
Barb. 8mm.	11010624
Barb. 10mm.	11010625

Connectors



VERSION	CODE
BSPT 1/4"	11020420
BSPT 3/8"	11020421
BSPT 1/2"	11020422



VERSION	CODE
BSPP 1/4"	11020520
BSPP 3/8"	11020521
BSPP 1/2"	11020522



VERSION	CODE
Barb. 8mm.	11020621
Barb. 10mm.	11020622

VERSION	CODE	OSCILATION
L 505	40000232	5 mm.
L 252	40000231	2,5 mm.
L 252R	40000230	2,5 mm.

Classic MP2

CODE 14810201

Breathing mask

Double air inlet. Mask with double charcoal filter against organic and solvent fumes. Facial housing of thermoplastic rubber. Optimum sealing and comfort. Elastic tape fastener. Approved: FBC-9086 A

